


STEEL SIDING

AND ACCESSORIES



Steel Siding	4-5
Seamless Steel Siding Coil	5
Steel Siding Accessories	6-8
Steel Shake Accent Siding	8
Steel Shake Accent Siding Accessories	9
Steel Shingle Accent Siding	9
Steel Shingle Accent Siding Accessories	9
CottageWood Shingle Siding	10
CottageWood Steel Shingle Siding Accessories	11
Steel Siding Collection	12
Universal Siding Accessories	
(Manufactured Aluminum)	13–15
James Hardie Aluminum Siding Accessories,	
LP Expert Finish Aluminum Flashing and	

Wood Fiber Siding Accessories Color Charts 16–17

TOUGHNESS NEVER LOOKED SO GOOD

Want to improve your home's curb appeal with a look that's vibrant and resilient? Klauer steel siding looks great—and it's finished with a durable, long-lasting coating that resists cracking, peeling, flaking, blistering, chipping, fading and more.

And you can choose from three distinct finishes. All three finishes are coded over G60 hot-dipped galvanized .015 thick (29 gauge) steel substrate.

CLASSIC[™]

The Klauer Classic Steel Siding and Accessories collection is available in 24 solid siding colors.

BENEFITS:

- > Two-coat XT40S siliconized polyester paint system
- > Excellent corrosion protection
- › Modified with silicone for exceptional roll-forming performance
- › Super-durable polyester resins provide superior resistance to chalking, fading and environmental weathering
- > Precision nylon-particle additives enhance the finish with texture
- Highest-quality exterior grade and ceramic pigmentation amplifies longterm color and gloss retention
- > Meets minimal solar reflectance for ENERGY STAR™ approval
- › Lifetime limited warranty paint system

CLAUER ____

The Klauer Elite Steel Siding and Accessories collection is available in five attractive colors. Klauer Elite adds durability, richness and low-glare, true-color appearance—even on the brightest days and in the toughest elements.

BENEFITS:

- Two-coat XT40S siliconized polyester paint system
- > Excellent corrosion protection
- Modified with silicone and highperformance wax for exceptional roll-forming performance
- Proprietary wrinkle-textured finish provides a warm and low-reflective finish that retains color richness in the brightest direct sunlight
- Super-durable polyester resins provide superior resistance to chalking, fading and environmental weathering, plus exceptional impact-resistant properties
- › Meets solar reflectance, LEED and ENERGY STAR requirements
- > Lifetime limited warranty paint system



The Klauer Prestige Steel Siding and Accessories collection replicates nature's colors and textures. Its unique color palette consists of five two-tone shades that create the look of naturally stained wood.


BENEFITS:

- > Four-coat XT40S siliconized polyester paint system
- > Excellent corrosion protection
- Super-durable polyester resins provide superior resistance to chalking, fading and environmental weathering
- Custom-designed, woodgrain-print overlay enriches and adds depth to our modern, real-wood look and topof-the-line finish
- > Final application of polyester clear coat adds superior protection against scratches, dirt retention and staining
- › Meets minimal solar reflectance for ENERGY STAR approval
- > Lifetime limited warranty paint system



continued

STEEL SIDING continued




SEAMLESS STEEL SIDING COIL



PART NUMBER	PRODUCT DESCRIPTION	PACKAGING AND SPECIFICATIONS
57310	Seamless Steel Coil	9-3/40 in. width 700 approx. lbs.
57320	Seamless Steel Coil	10-5/8 in. width 700 approx. lbs.
57330	Seamless Steel Coil	13-1/4 in. width 700 approx. lbs.

Minimum coil order weight is 250 lbs.





	DADTHUMBED	DRODUCT DESCRIPTION	DACKACING AND ODECIFICATIONS
	PART NUMBER 57210	PRODUCT DESCRIPTION Siding Trim Combo Pack	PACKAGING AND SPECIFICATIONS 12 pcs. Sill 12 pcs. 7/8 in. J
3-5/16"	57230	Corner Post Cap	10 ft. length 100 linear ft./ctn. 10 pcs./ctn. 45 lbs./ctn. 4.5 lbs./pc.
2" 3/4"	44273	5/8" Double Angle Best for 8" vertical siding	12 ft. 6 in. length 300 linear ft./ctn. 20 pcs./ctn. 45.4 lbs./ctn. 2.27 lbs./pc.
3/4"	57240	3/4" Narrow Corner Post Base	10 ft. length 100 linear ft./ctn. 10 pcs./ctn. 41 lbs./ctn. 4.1 lbs./ctn.
1-1/8" 1-3/4"	57250	1-1/8" Wide Corner Post Base	10 ft. length 100 linear ft./ctn. 10 pcs./ctn. 41 lbs./ctn. 4.1 lbs./pc.
	15670	Touch-Up Spray Can	11-oz. spray can
	15679	Touch-Up Paint Bottle and Pen Dispenser Combo Inquire for Prestige two-tone combo	2-oz. bottle – 1 each and 1 pen dispenser

STEEL SIDING ACCESSORIES

continued


DIMENSIONS A PART NUMBER PRODUCT DESCRIPTION PACKAGING AND SPECIFICATIONS 84110 2-1/2" Steel Starter Strip 10 ft. length 1-5/8" 500 linear ft. 50 pcs./ctn. 48 lbs./ctn. .96 lbs./pc. 84111 3-1/2" Steel Starter Strip 10 ft. length 2-5/8" 300 linear ft. 30 pcs./ctn. 66 lbs./ctn. 2.2 lbs./pc. 10 ft. length 84112 3-5/8" 4-1/2" Steel Starter Strip 5/16" 250 linear ft. 25 pcs./ctn. 68 lbs./ctn. 2.72 lbs./pc. 84113 #2194 3/4" Offset Starter 10 ft. length 3/4" 25 pcs./ctn. 2-1/4" Steel: 2.20 lbs. (Varied with offset) Aluminum: .80 lbs. 84114 10 ft. length 1-1/4" #2195 1-1/4" Offset 25 pcs./ctn. Starter 1-1/4" Steel: 2.70 lbs. Aluminum: 1.00 lbs. Available with 1/2" to 1-1/4" offset 84115 #2190 Fastening Spline 10 ft. length 30 pcs./ctn. Starter Steel: 1.60 lbs. Aluminum: .60 lbs. 2-1/2" Minimum 5/16"

STEEL SHAKE ACCENT SIDING




PART NUMBER	PRODUCT DESCRIPTION	PACKAGING AND SPECIFICATIONS
71410	Steel Shake Accent Siding Panel	12 in. x 48 in. 12 pcs./ctn. 48 sq. ft./ctn. 45 lbs./ctn. 3.75 lbs./pc.

STEEL SHAKE ACCENT SIDING ACCESSORIES



STEEL SHINGLE ACCENT SIDING



STEEL SHINGLE ACCENT SIDING ACCESSORIES

	PART NUMBER	PRODUCT DESCRIPTION	PACKAGING AND SPECIFICATIONS
1/2" 1-1/2"	44275	7/8" J Channel	12 ft. 6 in. length 300 linear ft./ctn. 24 pcs./ctn. 48 lbs./ctn. 2 lbs./pc.
O Back of clip	71440 is shown.	Clip Fastener	100 pcs./ctn. 1 lb./ctn.

CottageWood

SHINGLE SIDING

Crafted using heavy-gauge steel and durable, state-of-the-art finishes and coatings, our CottageWood shingles are guaranteed to retain their beauty and outperform competing materials. No other shingle offers the same protection, savings and lasting beauty. Invest in your home with a worry-free shingle that provides peace of mind for the future.

GET MORE FROM KLAUER

CottageWood shingles are available in a beautiful palette of colors utilizing Dura Coat Products coating system. These carry a fade-and-chalk-resistance warranty that ensures your shingles will remain vibrant for decades.

AMERICAN MADE

We work diligently with our suppliers to bring the best materials and newest technology to our shingles. Our high-quality steel, paint system, fasteners and accessories are 100% made in America.

PRODUCT SPECIFICATIONS				
PANEL EXPOSURE:	40.625" x 8.625"			
PANELS PER SQUARE:	41.10			
WEIGHT PER SQUARE:	85.70 lbs.			
PRODUCT MATERIAL:	A653 Galvanized Steel, Textured SMP Finish			
AVAILABLE COLORS:	Classic Snow White, Classic Sandalwood, Classic Moccasin, Classic Northern Woods, Classic Terra Bronze, Classic Winter Sage, Classic Liberty Gray, Classic Deep Ocean Blue, Classic Brick Red and Classic Mocha			
FASTENING DETAIL:	Integrated Nail Tabs and Clips: Ring shank corrosion- resistant fasteners recommended			
FASTENING CLIPS:	16" spacing, 120 per square recommended for clip applications (100 per bag)			
PANEL EXAMPLE:				







The colors shown are intended only as an approximation of the actual colors. Color chips are available upon request.

COTTAGEWOOD STEEL SHINGLE SIDING ACCESSORIES

		_	
	PART NUMBER	PRODUCT DESCRIPTION	PACKAGING AND SPECIFICATIONS
Back of clip is shown.	71460	Clip Fastener	100 pcs./ctn. 1 lb./ctn.
3/4" 1-1/2"	44279	7/8" J Channel with 3/4" face	12 ft. 6 in. length 300 linear ft./ctn. 20 pcs./ctn. 44 lbs./ctn. 2.2 lbs./pc.
1/2" 7/8" 1-1/2"	44275	7/8" J Channel	12 ft. 6 in. length 300 linear ft./ctn. 24 pcs./ctn. 48 lbs./ctn. 2 lbs./pc.

Steel Siding and Accessories KLAUER.COM

STEEL SIDING COLLECTION

Want to improve your home's curb appeal with a look that's vibrant and resilient? Klauer steel siding looks great—and it's finished with a durable, long-lasting coating that resists cracking, peeling, flaking, blistering, chipping, fading and more. And you can choose from three distinct finishes.

KLAUER CLASSIC



KLAUER ELITE



KLAUER PRESTIGE





The colors shown are intended only as an approximation of the actual colors. Color chips are available upon request the actual colors. Color chips are available upon request.

UNIVERSAL SIDING ACCESSORIES: MANUFACTURED FROM ALUMINUM

Available in common engineered-wood and fiber-cement siding colors. Available in standard woodgrain embossed and non-embossed smooth. Inquire for availability of colors.

	PART NUMBER	PRODUCT DESCRIPTION	PACKAGING AND SPECIFICATIONS
3-1/2"	51000	3/4" Outside Corner Base – 10' Smooth	10/ctn. 1.82 lbs./ctn. .18 lbs./pc.
3-1/2"	51005	1-1/8" Outside Corner Base – 10' Smooth	10/ctn. 2.03 lbs./ctn. .2 lbs./pc.
	51010	Outside Corner, Cap (Snap-On) – 10' Woodgrain	10/ctn. 1.70 lbs./ctn. .17 lbs./pc.
3/4" or 1-1/8"	51020	3/4" Inside Corner – 10' Woodgrain	40/ctn. .84 lbs./ctn. .02 lbs./pc.
3/4" or 1-1/8 \[3/8"	51027	1-1/8" Inside Corner – 10' Smooth	40/ctn. .84 lbs./ctn. .02 lbs./pc.
3/4"	51025	1-1/8" Inside Corner – 10' Woodgrain	40/ctn. 1.05 lbs./ctn. .03 lbs./pc.
3/4"	44291	#2900 J Channel – 12' Smooth	20/ctn. .81 lbs./ctn. .04 lbs./pc.
7/8"	44290	#2900 J Channel – 12' Woodgrain	20/ctn. 1.01 lbs./pc. .05 lbs./pc.
Rum (K)	30230 30231	24" Trim Coil – 50' Roll Smooth 24" Trim Coil – 50' Roll Woodgrain	1/ctn. 27 lbs.

continued

Steel Siding and Accessories KLAUER.COM (563) 582.7201 / SMSALES@KLAUER.COM

Available in common engineered-wood and fiber-cement siding colors. Available in standard woodgrain embossed and non-embossed smooth. Inquire for availability of colors.

	PART NUMBER	PRODUCT DESCRIPTION	PACKAGING AND SPECIFICATIONS
FS 110°	51057	1-1/16" Window Drip Cap Smooth	25 pcs./ctn. 17 lbs./ctn. .68 lbs./pc.
2"	51045	1-1/16" Window Drip Cap Woodgrain	25 pcs./ctn. 21.25 lbs./ctn. .85 lbs./pc.
FS	51059	Brick Flashing – 10' Smooth	20 pcs./ctn. 25.4 lbs./ctn. 1.27 lbs./pc.
110° 160°	51050	Brick Flashing – 10' Woodgrain	20 pcs./ctn. 31.6 lbs./ctn. 1.58 lbs./pc.
Too Es	51071	Wall Flashing – 10' Smooth	20 pcs./ctn. 26.8 lbs./ctn. 1.34 lbs./pc.
3" 90° FS 150°	51070	Wall Flashing – 10' Woodgrain	20 pcs./ctn. 28.8 lbs./ctn. 1.44 lbs./pc.
90°	51058	Spacer Flashing — 10' Smooth	10 pcs./ctn. 11.8 lbs./ctn. 1.18 lbs./ctn.

continued

Available in common engineered-wood and fiber-cement siding colors. Available in standard woodgrain embossed and non-embossed smooth. Inquire for availability of colors.

	PART NUMBER	PRODUCT DESCRIPTION	PACKAGING AND SPECIFICATIONS
FS 90°	51036	3/8" Z Flashing Smooth	25 pcs./ctn. 12.25 lbs./ctn. .49 lbs./pc.
1-3/4"	51040	3/8" Z Flashing Woodgrain	25 pcs./ctn. 15.25 lbs./ctn. .61 lbs./pc.
FS 90°	51039	1" Z Flashing – 10' Smooth	25 pcs./ctn. 15.25 lbs./ctn. .61 lbs./pc.
1-3/4" I 1/4"	51042	1" Z Flashing — 10' Woodgrain	25 pcs./ctn. 19.25 lbs./ctn. .77 lbs./pc.
7-3/4"	51083	6" x 8" Siding Joint Flashing	50/ctn. 4.09 lbs.
3/4"	51028	Siding Joint Covers – 3/4" x 6-3/8" Smooth	50/ctn. .02 lbs.
6-3/8"	51029	Siding Joint Covers – 3/4" x 6-3/8" Woodgrain	50/ctn. .02 lbs.
3/4"	51032	Siding Joint Covers – 3/4" x 8-3/8" Smooth	50/ctn. .04 lbs.
8-3/8"	51030	Siding Joint Covers – 3/4" x 8-3/8" Woodgrain	50/ctn. .04 lbs.
7/8" 8-5/8"	51035	Siding Joint Covers – 7/8" x 8-5/8" Woodgrain	50/ctn. .04 lbs.

JAMES HARDIE ALUMINUM SIDING ACCESSORIES COLORS

AGED PEWTER

DEEP OCEAN



LP EXPERT FINISH ALUMINUM FLASHING COLORS



WOOD FIBER SIDING ACCESSORIES COLORS





Adding Strength to Every Foundation.

1185 Roosevelt Ext. Dubuque, IA 52001 (563) 582.7201 smsales@klauer.com

75957 Siding Section 75961 Full Catalog

WWW.KLAUER.COM

©2025 Klauer Manufacturing Company.